

CD – 12 PAGE GATE FOLD

TCAU Specification


TSA 122

Issue: 1

July 2010

Page 1 of 4

**Shown in printers pairs front and back up
Files must be set up as separate pages for each spread**



Specifications:

- To be automatically packed, stock needs to be non-porous.
- Allow 3mm bleed all round.
- Trim & perforation marks to show 1mm into the bleed.
- Stock Coated A2 Art 130 gsm.
- Catalogue number must appear on the final product.

Note: Gates will be handpacked and an extra charge incurred where the finished folder is not the same finish as a stitched booklet.

Note: Drawing Not To Scale



CD – 12 PAGE GATE FOLD

TCAU Specification

TSA 122


Issue: 1

July 2010

Page 2 of 4

**Shown in printers pairs front and back up
Files must be set up as separate pages for each spread**

Backup



Note: Drawing Not To Scale

134-138 Euston Road
Alexandria NSW 2015
Phone: (02) 9519 2677
Fax: (02) 9557 2804



9 De Havilland Road
Braeside Vic 3195
Phone: (03) 9587 2633
Fax: (03) 9587 2901

CD – 12 PAGE GATE FOLD

TCAU Specification

TSA 122


Issue: 1

July 2010

Page 3 of 4

**Shown in printers pairs front and back up
Files must be set up as separate pages for each spread**

Front



Note: Drawing Not To Scale

CD – 12 PAGE GATE FOLD

TCAU Specification

TSA 122


Issue: 1

July 2010

Page 4 of 4

**Shown in printers pairs front and back up
Files must be set up as separate pages for each spread**

Backup



Note: Drawing Not To Scale