

DVD – 1 to 6 DISC MULTI SLIMLINE CASE SLICK

TCAU Specification

TSA 237

Issue: 1

July 2010

Page 1 of 3

Printed material which does not conform to the relevant specification may require manual insertion at an additional charge or be considered unworkable

Material:

Paper Stock:

- Type: Wood free art paper coated on both sides
- High gloss finish is not acceptable for automated packing
- Weight: Stock A2 150 – 190 GSM (automated packing)
- Allow 3mm bleed all round
- Trim & perforation marks to show 1mm into the bleed
- Catalogue number must appear on the final product

Barcode Format:

It is the symbol producers' responsibility to ensure the barcodes will scan

- Border dimensions for barcodes acceptable to enable detection on automated inline barcode scanner



- Barcode Type: EAN 13 100%
- Orientation: Lines Vertical
- Barcode Height: 16.00 mm minimum
- Barcode Width: 25.00 mm minimum
- The UPC Barcode is printed within a white box measuring a minimum of :
33.00 mm by 22.00 mm
- The left and right hand side of the white box must not be infringed by text or other artwork
- The "Quiet Zone" (clear space border) must be greater than: 4.00 mm
- Medium Density: (0.33mm) required
- Wide/Narrow Ratio: 3:1
- Print Contrast (PCS) : 0.90 + / - 0.07 (LAMBDA = 633nm)

Note: Drawings Not To Scale

DVD – 1 to 6 DISC MULTI SLIMLINE CASE SLICK

Slick Dimensions:


As per diagram below

Note: Drawings are not to scale

Barcode Placement:

- Visible on the outside back page of slick, and printed at least 3 mm away from any seams
- 99% detection accuracy can be provided by the automated inline barcode scanner if the barcode is placed in the “preferred” location as indicated below

FRONT or OUTSIDE



Note: Drawings Not To Scale



DVD – 1 to 6 DISC MULTI SLIMLINE CASE SLICK

TCAU Specification

TSA 237


Issue: 1

July 2010

Page 3 of 3

BACK or INSIDE

Front & Back shown as single spreads
Files must be set up as separate pages for each spread



Note: Drawings Not To Scale

